

## Zusammenfassung

Am 20. April 2009 stellte die KVPM Deutschland e.V. einen Antrag auf Akteneinsicht nach dem Informationsfreiheitsgesetz beim Bundesinstitut für Arzneimittel und Medizinprodukte (BfArM) in Bonn, betreffend Informationen über gemeldete Arzneimittelwirkungen wie Gewalt, Aggression und Suizid.

Am 28. Mai 2009 erhielt die KVPM Auszüge aus der Datenbank über unerwünschte Arzneimittelwirkungen (UAW) des BfArM über alle Arzneimittelwirkstoffe, zu denen seit 1989 bis zur Gegenwart Fälle von Selbstmord und Selbstverletzung, Feindseligkeit und Aggression gemeldet wurden. Auffallend darin sind hohe Fallzahlen bei vielen Psychopharmaka. Einige Beispiele:

• Benzodiazepine:	Bromazepam (Lexotamil ®)	133
	Brotizolam (Lendormin ®)	86
	Diazepam (Diazepam ®)	260
	Flunitrazepam (Rohypnol ®)	80
	Flurazepam (Dalmadorm ® u.a.)	75
	Lorazepam (Tavor ®)	1.691
	Oxazepam (Adumbran ®)	249
• Antidepressiva:	Amitriptylin (Saroten ® u.a.)	183
	Citalopram (Cipramil ®)	367
	Doxepin (Aponal ®)	230
	Duloxetine (Cymbalta ®)	209
	Escitalopram (Cipralext ®)	134
	Fluoxetine (Fluctin ®)	208
	Mirtazapin (Remergil ® u.a.)	318
	Paroxetine (Seroxat ® u.a.)	164
	Sertralin (Zoloft ®)	152
	Trimipramin (Stangyl ®)	202
	Venlafaxin (Trevilor ® u.a.)	822
• Neuroleptika:	Aripiprazol (Abilify ®)	104
	Chlorprothixen (Truxal ®)	236
	Clozapin (Leponex ®)	122
	Haloperidol (Haldol ®)	77
	Melperon (Eunerpen ® u.a.)	150
	Olanzapin (Zyprexa ®)	287
	Parazin (Taxilan ®)	143
	Pipamperon (Pipamperon ®)	263
	Promethazin (Atosil ® u.a.)	115
	Quetiapin (Seroquel ®)	236
	Risperidon (Risperdal ®)	623
• Stimulanzien:	Atomoxetin (Strattera ®)	119
	Methylphenidat (Ritalin ® u.a.)	103

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>abacavir</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	5
	<b>6</b>
<b>abacavir sulfate; lamivudine</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>abacavir sulfate; lamivudine; zidovudine</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
<b>acamprosate</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	2
	<b>6</b>
<b>acarbose</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>acebutolol</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>acebutolol hydrochloride; nifedipine</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>acecarbromal; benzylmandelate; bromisoval; carbromal; diphenhydramine hydrochloride</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>aceclofenac</b>	
<i>Intentional overdose</i>	2
	<b>2</b>
<b>acemetacin</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
<b>acepromazine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>acetone</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>acetylcysteine</b>	
<i>Intentional overdose</i>	5
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	<b>13</b>
18.05.2009	<b>1</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
acetylcysteine	13
acetyldigoxin	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
acetylsalicylic acid	
<i>Aggression</i>	2
<i>Completed suicide</i>	7
<i>Intentional overdose</i>	50
<i>Multiple drug overdose intentional</i>	4
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	122
	<b>187</b>
acetylsalicylic acid; ascorbic acid	
<i>Suicide attempt</i>	6
	<b>6</b>
acetylsalicylic acid; ascorbic acid; paracetamol	
<i>Suicide attempt</i>	2
	<b>2</b>
acetylsalicylic acid; caffeine; codeine phosphate; paracetamol	
<i>Intentional overdose</i>	5
<i>Suicide attempt</i>	11
	<b>16</b>
acetylsalicylic acid; caffeine; codeine phosphate; phenacetin	
<i>Suicide attempt</i>	1
	<b>1</b>
acetylsalicylic acid; caffeine; codeine phosphate; phenacetin; phenobarbital	
<i>Suicide attempt</i>	1
	<b>1</b>
acetylsalicylic acid; caffeine; paracetamol	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	5
<i>Suicide attempt</i>	160
	<b>168</b>
acetylsalicylic acid; caffeine; phenacetin	
<i>Suicide attempt</i>	5
	<b>5</b>
acetylsalicylic acid; codeine	
<i>Suicide attempt</i>	1
	<b>1</b>
acetylsalicylic acid; codeine phosphate; paracetamol	
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
acetylsalicylic acid; codeine phosphate; phenacetin	
18.05.2009	2

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
acetylsalicylic acid; codeine phosphate; phenacetin	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	5
	<b>7</b>
acetylsalicylic acid; diphenylpyraline hydrochloride; metamfepramone hydrochloride	
<i>Suicide attempt</i>	1
	<b>1</b>
acetylsalicylic acid; dipyridamole	
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
acetylsalicylic acid; lithium citrate; quinine citrate	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
acetylsalicylic acid; methocarbamol	
<i>Suicide attempt</i>	1
	<b>1</b>
acetylsalicylic acid; paracetamol	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	55
	<b>58</b>
aciclovir	
<i>Aggression</i>	5
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>8</b>
acriflavinium chloride; aloes extract; frangula extract; ox bile extract; xenytropium bromide	
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
acrivastine; pseudoephedrine hydrochloride	
<i>Suicide attempt</i>	1
	<b>1</b>
adalimumab	
<i>Suicide attempt</i>	1
	<b>1</b>
adefovir	
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
adonis vernalis glycosides; convallaria glycosides; oleandrin; squill extract	
<i>Suicide attempt</i>	1
	<b>1</b>
albumin tannate; ethacridine lactate	
	<b>3</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>albumin tannate; ethacridine lactate</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>albumin-interferon alpha-2b</b>	
<i>Aggression</i>	2
<i>Intentional self-injury</i>	1
<i>Suicidal ideation</i>	1
	<b>4</b>
<b>alendronic acid</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>alfuzosin</b>	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>algedrate; magnesium hydroxide</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>aliskiren</b>	
<i>Aggression</i>	3
	<b>3</b>
<b>allobarbital; aminophenazone; drofenine hydrochloride</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>allopurinol</b>	
<i>Intentional overdose</i>	6
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	10
	<b>23</b>
<b>allopurinol; benzbromarone</b>	
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>almotriptan</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>alprazolam</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	21
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	17
	<b>42</b>
<b>aluminium hydroxide; aluminium hydroxide gel; magnesium hydroxide</b>	

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>aluminium hydroxide; aluminium hydroxide gel; magnesium hydroxide</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>amantadine</b>	
<i>Aggression</i>	3
<i>Anger</i>	2
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	4
	<b>14</b>
<b>ambroxol</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	24
	<b>28</b>
<b>ambroxol hydrochloride; clenbuterol hydrochloride</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	11
	<b>13</b>
<b>ambroxol hydrochloride; doxycycline hyclate</b>	
<i>Suicide attempt</i>	5
	<b>5</b>
<b>ambroxol hydrochloride; doxycycline hydrochloride</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>amfetamine</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicide attempt</i>	5
	<b>11</b>
<b>amfetamine aspartate; amfetamine sulfate; dexamfetamine saccharate; dexamfetamine sulfate</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>5</b>
<b>aminophenazone</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>aminophenazone; benzylmandelate; paracetamol</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
	<b>5</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
aminophenazone; caffeine; lactylphenetidin; phenacetin; phenazone; salacetamide	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	2
	<b>4</b>
aminosalicylic acid	
<i>Intentional overdose</i>	1
	<b>1</b>
amiodarone	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	1
	<b>4</b>
amisulpride	
<i>Completed suicide</i>	7
<i>Intentional overdose</i>	27
<i>Suicidal ideation</i>	6
<i>Suicide attempt</i>	25
	<b>65</b>
amitriptyline	
<i>Aggression</i>	5
<i>Completed suicide</i>	9
<i>Depression suicidal</i>	1
<i>Intentional overdose</i>	75
<i>Multiple drug overdose intentional</i>	2
<i>Suicidal ideation</i>	7
<i>Suicide attempt</i>	84
	<b>183</b>
amitriptyline hydrochloride; chlordiazepoxide hydrochloride	
<i>Aggression</i>	2
	<b>2</b>
amlodipine	
<i>Aggression</i>	1
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	16
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	14
	<b>35</b>
ammonia; cimicifuga racemosa root; cortex quebracho; ephedrine hydrochloride; eucalyptus oil:	
<i>Suicide attempt</i>	1
	<b>1</b>
amobarbital; caffeine; codeine phosphate; dihydroergotamine tartrate; paracetamol	
<i>Aggression</i>	1
	<b>1</b>
amoxicillin	
<i>Aggression</i>	1
<i>Anger</i>	1
<i>Conduct disorder</i>	1
<i>Intentional overdose</i>	7
<i>Multiple drug overdose intentional</i>	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
amoxicillin	
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	18
	<b>32</b>
amoxicillin sodium; clavulanate potassium	
<i>Suicide attempt</i>	1
	<b>1</b>
amoxicillin trihydrate; clarithromycin; pantoprazole sodium	
<i>Suicidal ideation</i>	2
	<b>2</b>
amoxicillin trihydrate; clavulanate potassium	
<i>Suicide attempt</i>	2
	<b>2</b>
amoxicillin trihydrate; clavulanic acid	
<i>Aggression</i>	2
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	3
	<b>8</b>
amphotericin b; tetracycline hydrochloride	
<i>Suicide attempt</i>	1
	<b>1</b>
anethole; camphor; cineole; ethaverine hydrochloride; guaiazulene; pumilio pine oil	
<i>Suicide attempt</i>	1
	<b>1</b>
anethole; dextromethorphan hydrobromide; doxylamine succinate; ephedrine sulfate; paracetan	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
anistreplase	
<i>Aggression</i>	1
	<b>1</b>
apis mellifica; baptisia; croctalus; echinacea spp; lachesis; silicon dioxide, colloidal; thuja	
<i>Intentional overdose</i>	1
	<b>1</b>
apomorphine	
<i>Aggression</i>	1
	<b>1</b>
arctostaphylos uva-ursi; cucurbita pepo seed oil; humulus lupulus; kava-kava rhizoma; rhus aro	
<i>Suicide attempt</i>	1
	<b>1</b>
argatroban	
<i>Aggression</i>	1
	<b>1</b>
aripiprazole	
<i>Aggression</i>	9
<i>Completed suicide</i>	8
18.05.2009	<b>7</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>aripiprazole</b>	
<i>Depression suicidal</i>	2
<i>Homicide</i>	1
<i>Hostility</i>	1
<i>Intentional overdose</i>	11
<i>Intentional self-injury</i>	3
<i>Multiple drug overdose intentional</i>	3
<i>Suicidal ideation</i>	13
<i>Suicide attempt</i>	53
	<b>104</b>
<b>articaïne hydrochloride; epinephrine hydrochloride</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>ascorbic acid</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>ascorbic acid; calcium; magnesium; silicones nos; vitamin d nos</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>ascorbic acid; cyanocobalamin; folate sodium; hydroxocobalamin; lidocaine hydrochloride; nicot</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>ascorbic acid; ferrous sulfate; sodium bicarbonate</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>ascorbic acid; gentian; primula flowers; rumicis asetosa; sambucus flowers; verbena herb</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	7
	<b>11</b>
<b>ascorbic acid; guaifenesin; paracetamol; phenylephrine hydrochloride</b>	
<i>Suicide attempt</i>	3
	<b>3</b>
<b>ascorbic acid; phenylpropanolamine hydrochloride; pyridoxine hydrochloride; thiamine hydrochl</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>astemizole</b>	
<i>Aggression</i>	2
	<b>2</b>
<b>atazanavir</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>atenolol</b>	
<i>Aggression</i>	3
<i>Intentional overdose</i>	8
18.05.2009	<b>8</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>atenolol</b>	
<i>Suicide attempt</i>	8
	<b>19</b>
<b>atomoxetine</b>	
<i>Aggression</i>	30
<i>Anger</i>	2
<i>Borderline personality disorder</i>	2
<i>Completed suicide</i>	1
<i>Conduct disorder</i>	2
<i>Homicidal ideation</i>	2
<i>Hostility</i>	2
<i>Intentional overdose</i>	5
<i>Intentional self-injury</i>	1
<i>Self injurious behaviour</i>	5
<i>Sexual abuse</i>	1
<i>Suicidal behaviour</i>	8
<i>Suicidal ideation</i>	42
<i>Suicide attempt</i>	16
	<b>119</b>
<b>atorvastatin</b>	
<i>Anger</i>	1
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	1
	<b>11</b>
<b>atovaquone; proguanil hydrochloride</b>	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>atropine sulfate; opium alkaloids total</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>aurantii cortex fructus dulcis; chamomile; diphenhydramine hydrochloride; kava-kava rhizoma; l</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>azathioprine</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	3
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	<b>14</b>
<b>azelastine</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>azithromycin</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
18.05.2009	<b>9</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
azithromycin	
<i>Suicide attempt</i>	3
	<b>5</b>
baclofen	
<i>Aggression</i>	1
<i>Intentional overdose</i>	5
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	5
	<b>15</b>
barbexaclone	
<i>Aggression</i>	1
	<b>1</b>
barbital	
<i>Intentional overdose</i>	1
	<b>1</b>
barbital sodium; calcium gluconate; humulus lupulus extract; phenobarbital; valerian extract	
<i>Suicide attempt</i>	1
	<b>1</b>
bearberry extract; methenamine; phenyl salicylate	
<i>Suicide attempt</i>	1
	<b>1</b>
beclometasone	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Conduct disorder</i>	1
	<b>4</b>
belladonna alkaloids; chlorphenamine maleate; phenylpropanolamine hydrochloride	
<i>Intentional overdose</i>	1
	<b>1</b>
belladonna alkaloids; ergotamine tartrate; phenobarbital	
<i>Intentional overdose</i>	1
	<b>1</b>
belladonna extract; diphenhydramine hydrochloride	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	2
	<b>4</b>
bemetizide; hesperidin complex; thiamine mononitrate; triamterene	
<i>Suicide attempt</i>	1
	<b>1</b>
benactyzine; carbromal; methaqualone hydrochloride	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
benazepril	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
benazepril	5
benazepril hydrochloride; hydrochlorothiazide	
<i>Intentional overdose</i>	1
<i>Intentional self-injury</i>	1
<i>Suicide attempt</i>	1
	3
bendamustine	
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	2
bendroflumethiazide	
<i>Suicidal ideation</i>	1
	1
benorilate	
<i>Intentional overdose</i>	1
	1
benperidol	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	5
	11
benserazide hydrochloride; levodopa	
<i>Aggression</i>	4
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	2
	13
benserazide; levodopa	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
	2
benzocaine; cetylpyridinium chloride	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
benzylmandelate; bromisoval; carbromal; diphenhydramine hydrochloride	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	4
	6
benzylmandelate; ethenzamide; paracetamol	
<i>Suicide attempt</i>	1
	1
benzylpenicillin	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	6
	9

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>beta-acetyldigoxin</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>betahistine</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>betamethasone</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>betaxolol</b>	
<i>Suicide attempt</i>	3
	<b>3</b>
<b>bezafibrate</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>bifeprunox</b>	
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>biotin</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>biperiden</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	5
<i>Intentional overdose</i>	20
<i>Multiple drug overdose intentional</i>	1
<i>Self injurious behaviour</i>	1
<i>Suicide attempt</i>	56
	<b>86</b>
<b>bisacodyl</b>	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	21
	<b>23</b>
<b>bisoprolol</b>	
<i>Aggression</i>	4
<i>Completed suicide</i>	1
<i>Depression suicidal</i>	1
<i>Intentional overdose</i>	23
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	21
	<b>54</b>
<b>bisoprolol fumarate; hydrochlorothiazide</b>	
<i>Intentional overdose</i>	7
	<b>7</b>
	<b>12</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>bisoprolol hemifumarate; hydrochlorothiazide</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>bisoprolol; hydrochlorothiazide</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>bleomycin</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>bornaprine</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	5
	<b>6</b>
<b>bortezomib</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>brivaracetam</b>	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>bromazepam</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	7
<i>Intentional overdose</i>	61
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	56
	<b>133</b>
<b>bromelains; chymotrypsin; pancreatin; papain; rutoside; trypsin</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>bromhexine</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>bromisoval; dihydrocodeine phosphate; diprophylline; methylephedrine hydrochloride-dl</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>bromocriptine</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>4</b>
<b>bromperidol</b>	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>bromperidol</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	7
	<b>8</b>
<b>brotizolam</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	6
<i>Suicide attempt</i>	79
	<b>86</b>
<b>bucetin; caffeine; phenacetin; propyphenazone; sulfamidopyrine sodium; thiamine mononitrate</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>bucizine hydrochloride; codeine phosphate; epinephrine hydrochloride; mepivacaine hydrochloride</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>budesonide</b>	
<i>Aggression</i>	3
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>6</b>
<b>budesonide; formoterol</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>buflomedil</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>bunazosin</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>buprenorphine</b>	
<i>Aggression</i>	5
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	<b>16</b>
<b>bupropion</b>	
<i>Aggression</i>	20
<i>Anger</i>	1
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	22
<i>Suicidal ideation</i>	16
<i>Suicide attempt</i>	28
<i>Violence-related symptom</i>	1
	<b>91</b>
<b>buserelin</b>	
<i>Aggression</i>	1

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>buserelin</b>	
<i>Suicide attempt</i>	1
	<b>2</b>
<b>bupirone</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	6
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	6
	<b>17</b>
<b>busulfan</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>butalbital; caffeine; phenazone</b>	
<i>Suicide attempt</i>	3
	<b>3</b>
<b>butizide; methyldopa</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>cabergoline</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>caffeine</b>	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	6
	<b>13</b>
<b>caffeine; chlorphenamine maleate; paracetamol</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	<b>10</b>
<b>caffeine; chlorphenamine maleate; paracetamol; phenylpropanolamine hydrochloride</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>caffeine; dimenhydrinate</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>caffeine; diphenhydramine hydrochloride; hexethylamine citrate; propyphenazone; salicylamide</b>	
<i>Suicide attempt</i>	3
	<b>3</b>
<b>caffeine; ethaverine hydrochloride; paracetamol; phenobarbital; propyphenazone</b>	
<i>Intentional overdose</i>	2

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
caffeine; ethaverine hydrochloride; paracetamol; phenobarbital; propyphenazone	2
caffeine; ethenzamide; paracetamol; salacetamide	1
<i>Suicide attempt</i>	1
caffeine; paracetamol	1
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	4
caffeine; paracetamol; phenazone	2
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
caffeine; paracetamol; propyphenazone	2
<i>Suicide attempt</i>	2
caffeine; paracetamol; propyphenazone; thiamine mononitrate	1
<i>Intentional overdose</i>	1
caffeine; propyphenazone	5
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	4
calcitonin	2
<i>Aggression</i>	2
calcium	1
<i>Suicide attempt</i>	1
calcium carbonate	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
calcium citrate; magnesium citrate; potassium citrate	1
<i>Suicide attempt</i>	1
calcium hypophosphite; chamomile; copper; potassium phosphate monobasic; staphisagria; val	1
<i>Aggression</i>	1
calcium pantothenate; nicotinamide; pyridoxine hydrochloride; riboflavin; thiamine hydrochloride	2
<i>Suicide attempt</i>	2
camphor; electrolytes nos; eucalyptus oil; menthol; pine oil	2
<i>Suicide attempt</i>	2
candesartan	18.05.2009

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>candesartan</b>	
Completed suicide	1
Intentional overdose	11
Suicide attempt	4
	<b>16</b>
<b>cannabis</b>	
Intentional overdose	14
Intentional self-injury	1
Suicide attempt	6
	<b>21</b>
<b>capecitabine</b>	
Completed suicide	1
Suicidal ideation	1
	<b>2</b>
<b>captopril</b>	
Aggression	2
Hostility	1
Intentional overdose	3
Suicide attempt	6
	<b>12</b>
<b>captopril; hydrochlorothiazide</b>	
Suicide attempt	1
	<b>1</b>
<b>carbachol</b>	
Completed suicide	1
	<b>1</b>
<b>carbamazepine</b>	
Aggression	16
Anger	1
Completed suicide	2
Hostility	1
Intentional overdose	56
Intentional self-injury	3
Multiple drug overdose intentional	3
Physical assault	1
Suicidal ideation	7
Suicide attempt	58
	<b>148</b>
<b>carbidopa; levodopa</b>	
Suicidal ideation	1
Suicide attempt	2
	<b>3</b>
<b>carbimazole</b>	
Intentional overdose	1
Self injurious behaviour	1
	<b>2</b>
<b>carbinoxamine maleate; phenylephrine hydrochloride</b>	
Suicide attempt	1
	<b>1</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>carboplatin</b>	
Aggression	3
Completed suicide	3
	<b>6</b>
<b>carbromal; diphenhydramine</b>	
Intentional overdose	4
Suicide attempt	5
	<b>9</b>
<b>carbromal; diphenhydramine hydrochloride</b>	
Intentional overdose	6
Multiple drug overdose intentional	2
Suicide attempt	12
	<b>20</b>
<b>carnitine</b>	
Suicide attempt	1
	<b>1</b>
<b>carvedilol</b>	
Intentional overdose	2
Intentional self-injury	1
Suicide attempt	3
	<b>6</b>
<b>cathine</b>	
Aggression	1
	<b>1</b>
<b>cefactor</b>	
Aggression	5
Suicide attempt	6
	<b>11</b>
<b>cefadroxil</b>	
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	<b>3</b>
<b>cefalexin</b>	
Suicide attempt	1
	<b>1</b>
<b>cefixime</b>	
Aggression	3
Intentional overdose	1
Suicide attempt	2
	<b>6</b>
<b>cefpodoxime</b>	
Suicide attempt	1
	<b>1</b>
<b>ceftibuten</b>	
Suicide attempt	1
	<b>1</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>ceftriaxone sodium; lidocaine hydrochloride</b>	
Aggression	1
	<b>1</b>
<b>cefuroxime</b>	
Aggression	4
Anger	1
Intentional overdose	2
Suicidal behaviour	1
Suicide attempt	4
	<b>12</b>
<b>celecoxib</b>	
Intentional overdose	1
Suicidal ideation	4
	<b>5</b>
<b>cellulase; dehydrocholic acid; dimeticone; pancreatin; turmeric</b>	
Suicide attempt	1
	<b>1</b>
<b>cerebral cortex</b>	
Aggression	1
	<b>1</b>
<b>cerivastatin</b>	
Suicidal ideation	1
	<b>1</b>
<b>cetirizine</b>	
Aggression	8
Completed suicide	1
Intentional overdose	8
Multiple drug overdose intentional	1
Suicidal ideation	1
Suicide attempt	22
	<b>41</b>
<b>cetirizine hydrochloride; pseudoephedrine hydrochloride</b>	
Intentional overdose	1
	<b>1</b>
<b>cestrimonium bromide; lidocaine; tyrothricin</b>	
Intentional overdose	1
	<b>1</b>
<b>cestrimonium bromide; naphazoline nitrate; phenylephrine hydrochloride; prednisolone</b>	
Suicide attempt	1
	<b>1</b>
<b>cetuximab</b>	
Completed suicide	2
	<b>2</b>
<b>charcoal, activated</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
charcoal, activated; dimeticone	
<i>Suicide attempt</i>	1
	<b>1</b>
chloral hydrate	
<i>Intentional overdose</i>	8
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	7
	<b>16</b>
chlordiazepoxide	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	3
	<b>6</b>
chlormadinone acetate; ethinylestradiol	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
chlormezanone	
<i>Suicide attempt</i>	1
	<b>1</b>
chlormezanone; paracetamol	
<i>Suicide attempt</i>	1
	<b>1</b>
chloroform	
<i>Suicide attempt</i>	1
	<b>1</b>
chloroquine	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
chlorphenamine	
<i>Suicide attempt</i>	2
	<b>2</b>
chlorphenamine maleate; paracetamol; phenylephrine hydrochloride	
<i>Suicide attempt</i>	1
	<b>1</b>
chlorphenamine maleate; paracetamol; pseudoephedrine hydrochloride	
<i>Intentional overdose</i>	1
	<b>1</b>
chlorpromazine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
chlorprothixene	
<i>Aggression</i>	4
<i>Completed suicide</i>	4

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>chlorprothixene</b>	
<i>Intentional overdose</i>	112
<i>Multiple drug overdose intentional</i>	2
<i>Suicidal behaviour</i>	2
<i>Suicide attempt</i>	112
	<b>236</b>
<b>chlorprothixene hydrochloride; glutethimide; methaqualone</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>ciclosporin</b>	
<i>Antisocial behaviour</i>	1
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	<b>6</b>
<b>cilastatin sodium; imipenem</b>	
<i>Aggression</i>	2
	<b>2</b>
<b>cimetidine</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>cimicifuga racemosa</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>cinacalcet</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>cinnarizine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>cinnarizine; dimenhydrinate</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
	<b>5</b>
<b>ciprofloxacin</b>	
<i>Aggression</i>	10
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	7
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	1
<i>Self injurious behaviour</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	10
<i>Suicide attempt</i>	20
	<b>54</b>
<b>cisapride</b>	
<i>Suicide attempt</i>	2
	<b>2</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>citalopram</b>	
Aggression	8
Completed suicide	22
Homicidal ideation	1
Intentional overdose	138
Intentional self-injury	1
Multiple drug overdose intentional	10
Self injurious behaviour	2
Suicidal ideation	12
Suicide attempt	173
	<b>367</b>
<b>clarithromycin</b>	
Aggression	7
Intentional overdose	5
Suicidal ideation	4
Suicide attempt	34
	<b>50</b>
<b>clemastine</b>	
Intentional overdose	2
	<b>2</b>
<b>clemizole penicillin</b>	
Suicide attempt	2
	<b>2</b>
<b>clenbuterol</b>	
Suicide attempt	5
	<b>5</b>
<b>clindamycin</b>	
Intentional overdose	4
Suicide attempt	12
	<b>16</b>
<b>clobazam</b>	
Intentional overdose	8
Suicide attempt	11
	<b>19</b>
<b>clobutinol</b>	
Suicide attempt	8
	<b>8</b>
<b>clodronic acid</b>	
Aggression	1
	<b>1</b>
<b>clomethiazole</b>	
Aggression	1
Intentional overdose	7
Intentional self-injury	1
Suicide attempt	9
	<b>18</b>
<b>clomifene</b>	
Aggression	3
Suicide attempt	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
clomifene	4
clomipramine	
<i>Aggression</i>	2
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	14
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	13
	<b>35</b>
clonazepam	
<i>Aggression</i>	3
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	14
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	15
	<b>37</b>
clonidine	
<i>Aggression</i>	1
<i>Intentional overdose</i>	5
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	19
	<b>27</b>
clopamide; dihydroergocryptine mesilate; reserpine	
<i>Suicide attempt</i>	1
	<b>1</b>
clopenthixol	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	4
	<b>12</b>
clopidogrel	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	2
	<b>7</b>
clorazepic acid	
<i>Intentional overdose</i>	8
<i>Suicide attempt</i>	16
	<b>24</b>
clozapine	
<i>Aggression</i>	9
<i>Completed suicide</i>	13
<i>Homicide</i>	1
<i>Intentional overdose</i>	34
<i>Suicidal ideation</i>	6
<i>Suicide attempt</i>	59
	<b>122</b>
cocaine	
<i>Aggression</i>	1
18.05.2009	<b>23</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>cocaine</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	9
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	9
	<b>22</b>
<b>codeine</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	5
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	14
	<b>22</b>
<b>codeine; paracetamol</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>codeine; phenyltoloxamine</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>codeine phosphate; dimenhydrinate; paracetamol</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	4
	<b>6</b>
<b>codeine phosphate; drofenine hydrochloride; propyphenazone</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>codeine phosphate; paracetamol</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	6
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	17
	<b>27</b>
<b>codeine phosphate; paracetamol; propyphenazone</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>codeine phosphate; propyphenazone</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>colchicine</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
	<b>2</b>
<b>colecalfiferol</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>colecalfiferol; sodium fluoride</b>	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
colecalfiferol; sodium fluoride	
<i>Suicide attempt</i>	1
	<b>1</b>
cortisone	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
	<b>2</b>
crataegus extract; garlic; rutoside; viscum album extract	
<i>Suicide attempt</i>	1
	<b>1</b>
crataegus extract; guaifenesin; humulus lupulus extract; valerian extract; viscum album	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
crataegus extract; humulus lupulus extract; valerian extract; viscum album	
<i>Suicide attempt</i>	1
	<b>1</b>
cromoglicic acid	
<i>Aggression</i>	1
	<b>1</b>
cyanocobalamin; dexfosfoferine; levoglutamide	
<i>Aggression</i>	1
	<b>1</b>
cyanocobalamin; pyridoxine hydrochloride; thiamine hydrochloride	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
cyclophosphamide	
<i>Completed suicide</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	<b>5</b>
cynara scolymus	
<i>Suicide attempt</i>	1
	<b>1</b>
cyproheptadine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
cyproterone	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
cyproterone acetate; ethinylestradiol	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
cyproterone acetate; ethinylestradiol	4
cytarabine	1
<i>Aggression</i>	1
cytidine phosphate sodium; hydroxocobalamin acetate; uridine triphosphate sodium	1
<i>Suicide attempt</i>	1
dapsone	1
<i>Suicide attempt</i>	1
darbepoetin alfa	2
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
darifenacin	2
<i>Aggression</i>	2
dasatinib	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
desloratadine	15
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	13
desmopressin	1
<i>Aggression</i>	1
desogestrel	5
<i>Aggression</i>	1
<i>Anger</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
desogestrel; ethinylestradiol	7
<i>Aggression</i>	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
dexamethasone	9
<i>Aggression</i>	4
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
dexamfetamine	
18.05.2009	26

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>dexamfetamine</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>dexfenfluramine</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>dexketoprofen</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	1
	<b>4</b>
<b>dexpanthenol</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>dextromethorphan</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>dextromethorphan hydrobromide; paracetamol; phenylephrine hydrochloride</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
<b>dextromethorphan hydrobromide; paracetamol; phenylpropranolamine hydrochloride</b>	
<i>Suicide attempt</i>	4
	<b>4</b>
<b>diamorphine</b>	
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	6
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
	<b>14</b>
<b>diazepam</b>	
<i>Aggression</i>	14
<i>Completed suicide</i>	7
<i>Conduct disorder</i>	1
<i>Intentional overdose</i>	118
<i>Multiple drug overdose intentional</i>	4
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	111
	<b>260</b>
<b>dibenzepin</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	<b>4</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>diclofenac</b>	
Aggression	6
Completed suicide	2
Intentional overdose	54
Multiple drug overdose intentional	3
Suicidal behaviour	1
Suicidal ideation	1
Suicide attempt	121
	<b>188</b>
<b>dicloxacillin</b>	
Aggression	1
Suicide attempt	1
	<b>2</b>
<b>didanosine</b>	
Completed suicide	1
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	<b>4</b>
<b>dienogest; estradiol valerate</b>	
Suicidal ideation	1
	<b>1</b>
<b>dienogest; ethinylestradiol</b>	
Aggression	1
	<b>1</b>
<b>diethazine</b>	
Intentional overdose	1
	<b>1</b>
<b>digitoxin</b>	
Aggression	1
Completed suicide	1
Intentional overdose	1
Suicide attempt	9
	<b>12</b>
<b>digoxin</b>	
Aggression	1
Intentional overdose	3
Suicidal ideation	1
Suicide attempt	3
	<b>8</b>
<b>dihydralazine</b>	
Suicide attempt	1
	<b>1</b>
<b>dihydrocodeine</b>	
Intentional overdose	3
Suicide attempt	22
	<b>25</b>
<b>dihydrocodeine thiocyanate</b>	
Suicide attempt	5

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
dihydrocodeine thiocyanate	5
dihydroergocornine mesilate; dihydroergocristine mesilate; dihydroergocryptine mesilate	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
dihydroergocryptine	
<i>Completed suicide</i>	1
	1
dihydroergotamine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
dihydroergotamine mesilate; etilefrine hydrochloride	
<i>Suicide attempt</i>	3
	3
diltiazem	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	3
dimenhydrinate	
<i>Intentional overdose</i>	8
<i>Suicide attempt</i>	21
	29
dimenhydrinate; pyridoxine hydrochloride	
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	4
dimeticone	
<i>Suicide attempt</i>	3
	3
dimeticone; silicon dioxide, colloidal	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
dimetindene	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	5
	7
diphenhydramine	
<i>Completed suicide</i>	5
<i>Intentional overdose</i>	22
<i>Multiple drug overdose intentional</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	26

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
diphenhydramine	56
diphenhydramine hydrochloride; guaifenesin	1
<i>Intentional overdose</i>	1
	1
diphenhydramine hydrochloride; humulus lupulus; humulus lupulus extract; valerian extract; val	1
<i>Completed suicide</i>	6
<i>Intentional overdose</i>	1
<i>Self injurious behaviour</i>	7
<i>Suicide attempt</i>	15
diphenhydramine hydrochloride; passiflora; valeriana officinalis root	1
<i>Aggression</i>	1
<i>Suicide attempt</i>	2
	2
diphenylpyraline hydrochloride; metamfepramone hydrochloride; metamizole sodium	1
<i>Suicide attempt</i>	1
	1
dipyridamole; oxazepam	2
<i>Suicide attempt</i>	2
	2
disopyramide	1
<i>Suicide attempt</i>	1
	1
distigmine	1
<i>Suicide attempt</i>	1
	1
disulfiram	2
<i>Suicide attempt</i>	2
	2
docetaxel	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	4
	4
domperidone	2
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	6
	6
donepezil	12
<i>Aggression</i>	1
<i>Conduct disorder</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	17
	17
dorzolamide hydrochloride; timolol maleate	1
<i>Aggression</i>	1
	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
дорзолamide hydrochloride; timolol maleate	1
doxazosin	
Suicidal ideation	2
Suicide attempt	2
	4
doxepin	
Aggression	5
Completed suicide	10
Intentional overdose	115
Multiple drug overdose intentional	1
Suicidal ideation	2
Suicide attempt	97
	230
doxorubicin	
Aggression	1
Completed suicide	1
Suicide attempt	1
	3
doxycycline	
Intentional overdose	8
Multiple drug overdose intentional	1
Suicide attempt	17
	26
doxylamine	
Intentional overdose	32
Suicide attempt	33
	65
dronabinol	
Suicidal ideation	1
	1
drosiprenone; ethinylestradiol	
Suicidal ideation	1
	1
duloxetine	
Aggression	5
Completed suicide	9
Intentional overdose	66
Intentional self-injury	1
Multiple drug overdose intentional	1
Suicidal ideation	26
Suicide attempt	101
	209
dydrogesterone	
Intentional overdose	1
	1
dydrogesterone; estradiol	
Suicidal ideation	2
	2

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>ebastine</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
<b>echinacea extract</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>efavirenz</b>	
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	9
	<b>11</b>
<b>efavirenz; emtricitabine; tenofovir disoproxil fumarate</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>emtricitabine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>emtricitabine; tenofovir disoproxil fumarate</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>enalapril</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	17
<i>Multiple drug overdose intentional</i>	2
<i>Suicide attempt</i>	15
	<b>40</b>
<b>enalapril; hydrochlorothiazide</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>enalapril maleate; hydrochlorothiazide</b>	
<i>Intentional overdose</i>	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
	<b>7</b>
<b>enalapril maleate; lercanidipine hydrochloride</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>enalapril maleate; nitrendipine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>enfuvirtide</b>	
<i>Completed suicide</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>enoxacin</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>enoxaparin</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>entacapone</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>entecavir</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>enzymes nos</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>epinephrine</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>epirubicin</b>	
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>eplerenone</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>eprosartan</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	5
	<b>6</b>
<b>eprosartan mesilate; hydrochlorothiazide</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>equisetum; folium betulae; folium uva ursi; solidaginis extract</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>erlotinib</b>	
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>erythromycin</b>	
<i>Aggression</i>	2
<i>Suicide attempt</i>	4
	<b>6</b>
<b>erythromycin; tretinoin</b>	

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>erythromycin; tretinoin</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>erythropoietin human</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>escitalopram</b>	
<i>Aggression</i>	6
<i>Completed suicide</i>	11
<i>Depression suicidal</i>	1
<i>Intentional overdose</i>	40
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	4
<i>Suicidal behaviour</i>	3
<i>Suicidal ideation</i>	14
<i>Suicide attempt</i>	54
	<b>134</b>
<b>esculoside; vitis vinifera</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>esomeprazole</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Physical assault</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	6
	<b>17</b>
<b>estradiol</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>estradiol; estriol; norethisterone acetate</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>estradiol; norethisterone acetate</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>estradiol valerate; estriol; levonorgestrel</b>	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>estradiol valerate; norethisterone</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
<b>estrogens conjugated</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
estrogens conjugated; medrogestone	
<i>Intentional overdose</i>	1
	<b>1</b>
estrone	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	1
	<b>3</b>
etanercept	
<i>Anger</i>	1
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	2
	<b>4</b>
ethacridine	
<i>Suicide attempt</i>	1
	<b>1</b>
ethambutol	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
ethanol	
<i>Aggression</i>	25
<i>Completed suicide</i>	10
<i>Intentional overdose</i>	610
<i>Intentional self-injury</i>	2
<i>Multiple drug overdose intentional</i>	14
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	369
<i>Violence-related symptom</i>	1
	<b>1036</b>
ethanol; herbal extracts nos	
<i>Intentional overdose</i>	1
	<b>1</b>
ethanol; lupulus; valeriana officinalis root	
<i>Suicide attempt</i>	2
	<b>2</b>
ethinylestradiol; etonogestrel	
<i>Aggression</i>	2
	<b>2</b>
ethinylestradiol; levonorgestrel	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	1
	<b>9</b>
ethinylestradiol; norelgestromin	
<i>Completed suicide</i>	1
	<b>1</b>
etidronic acid	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>etidronic acid</b>	
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>etilefrine</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	18
	<b>21</b>
<b>etofenamate</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>etonogestrel</b>	
<i>Aggression</i>	2
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	3
	<b>7</b>
<b>etoposide</b>	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
	<b>3</b>
<b>etoricoxib</b>	
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	6
	<b>10</b>
<b>etretinate</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>ezetimibe</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>5</b>
<b>ezetimibe; simvastatin</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	3
	<b>7</b>
<b>famotidine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>felbamate</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>felodipine</b>	
<i>Aggression</i>	1
	<b>1</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
felodipine; metoprolol succinate	
<i>Intentional overdose</i>	1
	<b>1</b>
felodipine; ramipril	
<i>Suicide attempt</i>	1
	<b>1</b>
fenofibrate	
<i>Aggression</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
fenoterol	
<i>Conduct disorder</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
fenoterol hydrobromide; ipratropium bromide	
<i>Suicide attempt</i>	2
	<b>2</b>
fentanyl	
<i>Aggression</i>	8
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	7
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	11
	<b>34</b>
ferric chloride	
<i>Suicide attempt</i>	1
	<b>1</b>
ferroglycine sulfate complex	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	3
	<b>6</b>
ferrous fumarate; saccharated iron oxide	
<i>Suicide attempt</i>	1
	<b>1</b>
ferrous sulfate; folic acid	
<i>Suicide attempt</i>	1
	<b>1</b>
ferrous sulfate; pyridoxine; riboflavin sodium phosphate; thiamine	
<i>Suicide attempt</i>	2
	<b>2</b>
fexofenadine	
<i>Suicide attempt</i>	3
	<b>3</b>
finasteride	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>finasteride</b>	
<i>Suicide attempt</i>	1
	<b>3</b>
<b>flecainide</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	4
	<b>5</b>
<b>fleroxacin</b>	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>flucloxacillin</b>	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	3
	<b>5</b>
<b>fluconazole</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>flumazenil</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>flunarizine</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicide attempt</i>	4
	<b>7</b>
<b>flunitrazepam</b>	
<i>Aggression</i>	5
<i>Completed suicide</i>	6
<i>Intentional overdose</i>	32
<i>Intentional self-injury</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	34
	<b>80</b>
<b>fluorouracil</b>	
<i>Completed suicide</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>fluoxetine</b>	
<i>Aggression</i>	22
<i>Completed suicide</i>	9
<i>Homicide</i>	1
<i>Intentional overdose</i>	42
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	129
	<b>208</b>
<b>flupentixol</b>	
<i>Aggression</i>	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>flupentixol</b>	
Completed suicide	2
Intentional overdose	8
Suicide attempt	10
	<b>21</b>
<b>fluphenazine</b>	
Aggression	1
Completed suicide	1
Intentional overdose	4
Suicidal behaviour	1
Suicidal ideation	3
Suicide attempt	7
	<b>17</b>
<b>flupirtine</b>	
Completed suicide	2
Intentional overdose	10
Multiple drug overdose intentional	1
Suicide attempt	13
	<b>26</b>
<b>flurazepam</b>	
Completed suicide	1
Intentional overdose	31
Multiple drug overdose intentional	1
Suicidal ideation	1
Suicide attempt	41
	<b>75</b>
<b>fluspirilene</b>	
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	4
	<b>6</b>
<b>fluticasone</b>	
Aggression	4
Conduct disorder	1
Suicide attempt	2
	<b>7</b>
<b>fluticasone propionate; salmeterol xinafoate</b>	
Aggression	3
Intentional overdose	1
Suicidal ideation	3
Suicide attempt	1
	<b>8</b>
<b>fluvastatin</b>	
Aggression	2
Completed suicide	1
Intentional overdose	3
Suicidal ideation	1
Suicide attempt	2
	<b>9</b>
<b>fluvoxamine</b>	
Aggression	3

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>fluvoxamine</b>	
Completed suicide	3
Hostility	1
Intentional overdose	4
Self injurious behaviour	1
Suicidal ideation	3
Suicide attempt	6
	<b>21</b>
<b>folate sodium; hydroxocobalamin; lidocaine hydrochloride; pyridoxine hydrochloride</b>	
Aggression	1
	<b>1</b>
<b>folic acid</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>
<b>formoterol</b>	
Intentional overdose	2
Suicidal ideation	1
Suicide attempt	3
	<b>6</b>
<b>fosamprenavir</b>	
Suicide attempt	1
	<b>1</b>
<b>foscarnet</b>	
Aggression	1
	<b>1</b>
<b>fosinopril</b>	
Aggression	1
Suicide attempt	1
	<b>2</b>
<b>furosemide</b>	
Aggression	1
Completed suicide	1
Intentional overdose	10
Suicide attempt	10
	<b>22</b>
<b>furosemide; penbutolol sulfate</b>	
Suicide attempt	1
	<b>1</b>
<b>gabapentin</b>	
Aggression	3
Completed suicide	1
Intentional overdose	6
Multiple drug overdose intentional	3
Suicidal ideation	6
Suicide attempt	14
	<b>33</b>
<b>gadolinium</b>	
Aggression	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
gadolinium	1
gadopentetic acid	2
<i>Aggression</i>	2
galantamine	6
<i>Aggression</i>	6
<i>Suicide attempt</i>	1
gallopamil	3
<i>Suicide attempt</i>	3
gemcitabine	6
<i>Aggression</i>	1
<i>Completed suicide</i>	3
<i>Suicidal ideation</i>	2
ginkgo tree leaves extract	5
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
glatiramer	3
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
glibenclamide	9
<i>Intentional overdose</i>	5
<i>Suicide attempt</i>	4
glimepiride	13
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	9
glycerol	1
<i>Suicide attempt</i>	1
glyceryl trinitrate	3
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
glycol salicylate	1
<i>Aggression</i>	1
goserelin	2
<i>Completed suicide</i>	2
<i>Suicidal ideation</i>	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>goserelin</b>	
<i>Suicide attempt</i>	2
	<b>5</b>
<b>gramicidin; neomycin sulfate; triamcinolone acetonide</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>granulocyte colony stimulating factor</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	2
	<b>3</b>
<b>grepafloxacin</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>haloperidol</b>	
<i>Aggression</i>	9
<i>Completed suicide</i>	9
<i>Intentional overdose</i>	14
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	40
	<b>77</b>
<b>harpagophytum procumbens</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>hedera helix</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>hepatitis a vaccine; hepatitis b vaccine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>herbal extracts nos</b>	
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	3
	<b>6</b>
<b>homeopatics nos</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	12
	<b>15</b>
<b>hops; melissa extract; valerian extract</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>hops; valerian extract</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>hops; valeriana officinalis root</b>	
<i>Intentional overdose</i>	1

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>hops; valeriana officinalis root</b>	
<i>Suicide attempt</i>	3
	<b>4</b>
<b>humulus lupulus extract</b>	
<i>Intentional overdose</i>	5
<i>Suicide attempt</i>	5
	<b>10</b>
<b>humulus lupulus extract; passiflora extract; valerian extract</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Multiple drug overdose intentional</i>	2
<i>Suicide attempt</i>	10
	<b>15</b>
<b>humulus lupulus extract; rauwolfia; valerian extract</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>humulus lupulus; humulus lupulus extract; valerian extract; valeriana officinalis</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>humulus lupulus; passiflora extract; valerian extract</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>hydrochlorothiazide</b>	
<i>Aggression</i>	1
<i>Depression suicidal</i>	1
<i>Intentional overdose</i>	6
<i>Suicide attempt</i>	8
	<b>16</b>
<b>hydrochlorothiazide; irbesartan</b>	
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	3
	<b>4</b>
<b>hydrochlorothiazide; losartan potassium</b>	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	1
	<b>4</b>
<b>hydrochlorothiazide; metoprolol succinate</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>hydrochlorothiazide; quinapril hydrochloride</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
	<b>3</b>
<b>hydrochlorothiazide; ramipril</b>	
<i>Aggression</i>	1
<i>Depression suicidal</i>	1
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	8

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
hydrochlorothiazide; ramipril	14
hydrochlorothiazide; spironolactone	
<i>Aggression</i>	1
	1
hydrochlorothiazide; telmisartan	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Suicide attempt</i>	6
	8
hydrochlorothiazide; triamterene	
<i>Intentional overdose</i>	6
<i>Suicide attempt</i>	9
	15
hydrochlorothiazide; valsartan	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	2
hydrochlorothiazide; verapamil hydrochloride	
<i>Suicide attempt</i>	1
	1
hydrocortisone	
<i>Intentional overdose</i>	1
	1
hydromorphone	
<i>Aggression</i>	2
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	5
	12
hydrotalcite	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	4
	5
hydroxycarbamide	
<i>Suicide attempt</i>	1
	1
hydroxychloroquine	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	2
hydroxyzine	
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	13
<i>Intentional self-injury</i>	1
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	32
	51

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
hydroxyzine hydrochloride; meclizine hydrochloride; nicotinic acid	
<i>Suicide attempt</i>	2
	<b>2</b>
hyoscine	
<i>Aggression</i>	3
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	125
	<b>131</b>
hyoscine butylbromide; metamizole sodium	
<i>Suicide attempt</i>	1
	<b>1</b>
hyoscine butylbromide; paracetamol	
<i>Aggression</i>	2
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	107
	<b>113</b>
hypericum extract	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	7
	<b>10</b>
hypericum extract; melissa extract; valerian tincture	
<i>Suicide attempt</i>	2
	<b>2</b>
hypericum perforatum	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
ibandronic acid	
<i>Suicidal ideation</i>	1
	<b>1</b>
ibuprofen	
<i>Aggression</i>	14
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	95
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	8
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	207
	<b>334</b>
ifosfamide	
<i>Aggression</i>	3
	<b>3</b>
imatinib	
<i>Suicide attempt</i>	1
	<b>1</b>
18.05.2009	45

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
imatinib	1
imipramine	
<i>Aggression</i>	2
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	2
	7
imiquimod	
<i>Suicidal ideation</i>	1
	1
indapamide	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
indometacin	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	4
insulin	
<i>Intentional overdose</i>	6
<i>Suicide attempt</i>	6
	12
insulin aspart	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	2
insulin detemir	
<i>Aggression</i>	1
	1
insulin glargine	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	5
	8
insulin glulisine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
insulin human	
<i>Aggression</i>	1
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	5
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	4
	15
insulin human injection, isophane; insulin zinc protamine injection	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
insulin human; insulin human injection, isophane	
<i>Suicide attempt</i>	1
	<b>1</b>
insulin human; isophane insulin	
<i>Suicide attempt</i>	1
	<b>1</b>
insulin lispro	
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	2
	<b>11</b>
interferon	
<i>Aggression</i>	10
<i>Completed suicide</i>	4
<i>Depression suicidal</i>	3
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	30
<i>Suicide attempt</i>	26
	<b>74</b>
interferon alfacon-1	
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	2
	<b>7</b>
interferon alfa-2b	
<i>Aggression</i>	6
<i>Completed suicide</i>	7
<i>Intentional overdose</i>	1
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	7
<i>Suicide attempt</i>	14
	<b>36</b>
iodine	
<i>Intentional overdose</i>	1
	<b>1</b>
iodine; kaolin; salicylic acid	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
iomeprol	
<i>Suicidal ideation</i>	2
	<b>2</b>
iopromide	
<i>Aggression</i>	1
	<b>1</b>
iotrolan	
<i>Aggression</i>	2
	<b>2</b>
18.05.2009	<b>47</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>ipratropium</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>4</b>
<b>irbesartan</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
	<b>5</b>
<b>iron</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	5
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	5
	<b>13</b>
<b>isoaminile</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>isoniazid</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>isophane insulin</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>isopromethazine</b>	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	25
<i>Multiple drug overdose intentional</i>	3
<i>Suicide attempt</i>	17
	<b>48</b>
<b>isopropanol; mecetronium etilsulfate; propanol</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>isosorbide dinitrate</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	5
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	7
	<b>16</b>
<b>isotretinoin</b>	
<i>Aggression</i>	7
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	9
<i>Suicide attempt</i>	5
	<b>24</b>
	<b>48</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>isradipine</b>	
Aggression	1
Suicide attempt	2
	<b>3</b>
<b>itraconazole</b>	
Suicide attempt	1
	<b>1</b>
<b>kava-kava rhizoma</b>	
Aggression	1
Suicide attempt	1
	<b>2</b>
<b>ketamine</b>	
Sexual abuse	1
	<b>1</b>
<b>ketoprofen</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>
<b>ketotifen</b>	
Aggression	4
Suicide attempt	2
	<b>6</b>
<b>lacosamide</b>	
Suicide attempt	2
	<b>2</b>
<b>lactulose</b>	
Suicidal ideation	1
	<b>1</b>
<b>lamivudine</b>	
Suicidal ideation	1
Suicide attempt	3
	<b>4</b>
<b>lamivudine; zidovudine</b>	
Intentional overdose	2
Suicidal ideation	1
Suicide attempt	6
	<b>9</b>
<b>lamotrigine</b>	
Aggression	22
Completed suicide	11
Intentional overdose	62
Suicidal ideation	2
Suicide attempt	109
	<b>206</b>
<b>lansoprazole</b>	
Suicide attempt	6
	<b>6</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>laromustin</b>	
<i>Suicidal behaviour</i>	1
	<b>1</b>
<b>latanoprost</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>leflunomide</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>lenalidomide</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>lercanidipine</b>	
<i>Intentional overdose</i>	5
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	7
	<b>17</b>
<b>letrozole</b>	
<i>Suicidal ideation</i>	2
	<b>2</b>
<b>leuprorelin</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	2
<i>Depression suicidal</i>	1
<i>Suicide attempt</i>	3
	<b>7</b>
<b>levacetylmethadol</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>levetiracetam</b>	
<i>Aggression</i>	48
<i>Anger</i>	4
<i>Completed suicide</i>	3
<i>Hostility</i>	4
<i>Intentional overdose</i>	17
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	1
<i>Physical assault</i>	1
<i>Suicidal behaviour</i>	2
<i>Suicidal ideation</i>	24
<i>Suicide attempt</i>	44
	<b>149</b>
<b>levobunolol</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>levocetirizine</b>	
<i>Aggression</i>	3

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>levocetirizine</b>	
<i>Intentional overdose</i>	6
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	20
	<b>30</b>
<b>levodopa</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>levofloxacin</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	7
<i>Suicide attempt</i>	1
	<b>12</b>
<b>levomepromazine</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	27
<i>Suicide attempt</i>	21
	<b>53</b>
<b>levonorgestrel</b>	
<i>Aggression</i>	4
<i>Depression suicidal</i>	1
<i>Suicidal ideation</i>	5
	<b>10</b>
<b>levothyroxine</b>	
<i>Aggression</i>	2
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	30
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	38
	<b>75</b>
<b>levothyroxine sodium; liothyronine sodium</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>levothyroxine sodium; potassium iodide</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>7</b>
<b>lidocaine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>liothyronine</b>	
<i>Aggression</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>lisinopril</b>	
Completed suicide	1
Intentional overdose	6
Suicide attempt	6
	<b>13</b>
<b>lisuride</b>	
Suicide attempt	1
	<b>1</b>
<b>lithium</b>	
Aggression	3
Completed suicide	28
Intentional overdose	80
Suicidal ideation	8
Suicide attempt	106
	<b>225</b>
<b>loperamide</b>	
Aggression	3
Intentional overdose	10
Multiple drug overdose intentional	5
Suicidal ideation	3
Suicide attempt	33
	<b>54</b>
<b>lopinavir; ritonavir</b>	
Aggression	1
Suicidal ideation	1
Suicide attempt	3
	<b>5</b>
<b>loracarbef</b>	
Suicide attempt	1
	<b>1</b>
<b>loratadine</b>	
Aggression	1
Intentional overdose	3
Suicidal ideation	1
Suicide attempt	14
	<b>19</b>
<b>lorazepam</b>	
Aggression	17
Completed suicide	13
Intentional overdose	1271
Intentional self-injury	2
Multiple drug overdose intentional	5
Poisoning deliberate	1
Self injurious behaviour	2
Suicidal behaviour	1
Suicidal ideation	15
Suicide attempt	364
	<b>1691</b>
<b>lormetazepam</b>	
Aggression	1
Completed suicide	1

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>lormetazepam</b>	
<i>Intentional overdose</i>	14
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	23
	<b>40</b>
<b>losartan</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	<b>6</b>
<b>lovastatin</b>	
<i>Aggression</i>	2
	<b>2</b>
<b>lumiracoxib</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	1
	<b>4</b>
<b>lynestrenol; mestranol</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>macrogol; potassium chloride; sodium bicarbonate; sodium chloride</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>magaldrate</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>magnesium aspartate</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>magnesium oxide</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	<b>4</b>
<b>magnesium oxide heavy</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>manganese bromide; pyridostigmine bromide</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>maprotiline</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	2

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>maprotiline</b>	
<i>Intentional overdose</i>	10
<i>Suicide attempt</i>	4
	<b>17</b>
<b>mebendazole</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>mebeverine</b>	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	3
	<b>6</b>
<b>medazepam</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>medroxyprogesterone</b>	
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>mefenamic acid</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>mefenorex</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>mefloquine</b>	
<i>Aggression</i>	10
<i>Completed suicide</i>	12
<i>Depression suicidal</i>	1
<i>Homicide</i>	3
<i>Suicidal ideation</i>	15
<i>Suicide attempt</i>	11
	<b>52</b>
<b>melatonin</b>	
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>4</b>
<b>melissa extract</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>melissa extract; valeriana officinalis root</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>meloxicam</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	13

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
meloxicam	15
melperone	
<i>Aggression</i>	5
<i>Completed suicide</i>	7
<i>Intentional overdose</i>	32
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	101
	150
melphalan	
<i>Suicide attempt</i>	1
	1
memantine	
<i>Aggression</i>	4
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	4
	14
mepenzolate	
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	1
	2
mephesisin	
<i>Suicide attempt</i>	2
	2
mercaptopurine	
<i>Suicide attempt</i>	1
	1
mesalazine	
<i>Completed suicide</i>	1
	1
mesna	
<i>Completed suicide</i>	1
<i>Suicide attempt</i>	1
	2
mesoridazine	
<i>Suicide attempt</i>	1
	1
metall-legierung	
<i>Aggression</i>	3
<i>Suicide attempt</i>	2
	5
metamizole sodium	
<i>Aggression</i>	5
<i>Intentional overdose</i>	21
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	1
18.05.2009	55

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
metamizole sodium	
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	54
	<b>84</b>
metergoline	
<i>Suicide attempt</i>	1
	<b>1</b>
metformin	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	21
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	20
	<b>44</b>
metformin hydrochloride; rosiglitazone maleate	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
methadone	
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	12
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	6
	<b>23</b>
methapyrilene hydrochloride; salicylamide	
<i>Suicide attempt</i>	1
	<b>1</b>
methaqualone	
<i>Suicide attempt</i>	1
	<b>1</b>
methionine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
methotrexate	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
	<b>7</b>
methylenedioxyamphetamine	
<i>Intentional overdose</i>	1
	<b>1</b>
methylergometrine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>methylphenidate</b>	
Aggression	15
Anger	2
Antisocial behaviour	1
Intentional overdose	27
Multiple drug overdose intentional	1
Suicidal behaviour	2
Suicidal ideation	9
Suicide attempt	46
	<b>103</b>
<b>methylphenobarbital; phenobarbital; phenytoin</b>	
Intentional overdose	1
	<b>1</b>
<b>methylprednisolone</b>	
Aggression	2
Completed suicide	1
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	3
	<b>8</b>
<b>metixene</b>	
Suicide attempt	1
	<b>1</b>
<b>metoclopramide</b>	
Aggression	3
Completed suicide	1
Intentional overdose	9
Suicidal ideation	1
Suicide attempt	26
	<b>40</b>
<b>metoclopramide hydrochloride; paracetamol</b>	
Suicide attempt	2
	<b>2</b>
<b>metoprolol</b>	
Aggression	3
Completed suicide	2
Intentional overdose	39
Multiple drug overdose intentional	2
Suicidal ideation	1
Suicide attempt	51
	<b>98</b>
<b>metronidazole</b>	
Conduct disorder	1
Suicide attempt	8
	<b>9</b>
<b>mianserin</b>	
Aggression	1
Completed suicide	2
Intentional overdose	1
Suicide attempt	4
	<b>8</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>miconazole</b>	
Completed suicide	1
	<b>1</b>
<b>midazolam</b>	
Aggression	8
Intentional overdose	4
Suicidal ideation	1
Suicide attempt	4
	<b>17</b>
<b>midodrine</b>	
Suicide attempt	1
	<b>1</b>
<b>minocycline</b>	
Completed suicide	1
Suicide attempt	2
	<b>3</b>
<b>mirtazapine</b>	
Aggression	4
Completed suicide	22
Depression suicidal	1
Intentional overdose	136
Intentional self-injury	2
Multiple drug overdose intentional	5
Self injurious behaviour	1
Suicidal ideation	13
Suicide attempt	134
	<b>318</b>
<b>mizolastine</b>	
Aggression	1
Intentional overdose	1
Suicide attempt	2
	<b>4</b>
<b>moclobemide</b>	
Aggression	8
Completed suicide	16
Intentional overdose	8
Multiple drug overdose intentional	1
Suicidal behaviour	1
Suicidal ideation	12
Suicide attempt	49
	<b>95</b>
<b>modafinil</b>	
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	<b>3</b>
<b>molsidomine</b>	
Aggression	1
	<b>1</b>
<b>mometasone</b>	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>mometasone</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>montelukast</b>	
<i>Aggression</i>	10
<i>Intentional overdose</i>	3
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	3
	<b>20</b>
<b>morphine</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	11
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	10
	<b>30</b>
<b>moxifloxacin</b>	
<i>Aggression</i>	7
<i>Suicidal ideation</i>	7
<i>Suicide attempt</i>	1
	<b>15</b>
<b>moxonidine</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	4
	<b>8</b>
<b>muraglitazar</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>mycophenolic acid</b>	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	2
	<b>4</b>
<b>myrtol</b>	
<i>Suicide attempt</i>	3
	<b>3</b>
<b>myrtol; oxytetracycline hydrochloride</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>nadolol</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>nadroparin</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>4</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>naloxone</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>naloxone hydrochloride; oxycodone hydrochloride</b>	
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	6
	<b>11</b>
<b>naloxone hydrochloride; tilidine hydrochloride</b>	
<i>Intentional overdose</i>	12
<i>Suicide attempt</i>	21
	<b>33</b>
<b>naltrexone</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	3
	<b>9</b>
<b>naproxen</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	5
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	16
	<b>24</b>
<b>naratriptan</b>	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	2
	<b>5</b>
<b>nebivolol</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>nefazodone</b>	
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	3
	<b>9</b>
<b>nevirapine</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	8
	<b>9</b>
<b>nifedipine</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	5
	<b>8</b>
<b>nimodipine</b>	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>nimodipine</b>	
Aggression	2
	<b>2</b>
<b>nisoldipine</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>
<b>nitrazepam</b>	
Aggression	1
Intentional overdose	6
Suicide attempt	8
	<b>15</b>
<b>nitrendipine</b>	
Completed suicide	1
Intentional overdose	5
Suicide attempt	3
	<b>9</b>
<b>nitrofurantoin</b>	
Aggression	1
Suicide attempt	2
	<b>3</b>
<b>nordazepam</b>	
Intentional overdose	2
Suicidal ideation	1
	<b>3</b>
<b>norethisterone</b>	
Suicidal ideation	1
Suicide attempt	2
	<b>3</b>
<b>norfenefrine</b>	
Completed suicide	1
Intentional overdose	2
	<b>3</b>
<b>norfloxacin</b>	
Aggression	1
Suicide attempt	2
	<b>3</b>
<b>nortriptyline</b>	
Aggression	5
Anger	1
Intentional overdose	7
Suicide attempt	9
	<b>22</b>
<b>noscapine</b>	
Suicide attempt	8
	<b>8</b>
<b>ofloxacin</b>	
Aggression	12

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>ofloxacin</b>	
Completed suicide	6
Depression suicidal	1
Intentional overdose	1
Suicidal ideation	8
Suicide attempt	16
	<b>44</b>
<b>olanzapine</b>	
Aggression	5
Completed suicide	29
Intentional overdose	117
Intentional self-injury	2
Multiple drug overdose intentional	5
Self injurious behaviour	2
Suicidal behaviour	1
Suicidal ideation	19
Suicide attempt	107
	<b>287</b>
<b>olmesartan</b>	
Aggression	1
Intentional overdose	1
	<b>2</b>
<b>omega-3 triglycerides</b>	
Intentional overdose	1
Multiple drug overdose intentional	1
Suicide attempt	1
	<b>3</b>
<b>omeprazole</b>	
Aggression	7
Hostility	1
Intentional overdose	11
Suicide attempt	17
	<b>36</b>
<b>ondansetron</b>	
Aggression	1
Intentional overdose	1
Suicide attempt	1
	<b>3</b>
<b>opipramol</b>	
Aggression	1
Completed suicide	3
Intentional overdose	59
Multiple drug overdose intentional	1
Suicidal ideation	3
Suicide attempt	51
	<b>118</b>
<b>oral contraceptive nos</b>	
Suicide attempt	1
	<b>1</b>
<b>ornithine aspartate</b>	
Multiple drug overdose intentional	1

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>ornithine aspartate</b>	
<i>Suicide attempt</i>	1
	<b>2</b>
<b>orphenadrine citrate; paracetamol</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>oseltamivir</b>	
<i>Aggression</i>	2
<i>Suicidal ideation</i>	1
	<b>3</b>
<b>oxaliplatin</b>	
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
	<b>2</b>
<b>oxazepam</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	32
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	211
	<b>249</b>
<b>oxcarbazepine</b>	
<i>Aggression</i>	6
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	9
<i>Intentional self-injury</i>	2
<i>Suicidal behaviour</i>	2
<i>Suicidal ideation</i>	5
<i>Suicide attempt</i>	14
	<b>39</b>
<b>oxilofrine</b>	
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>oxybate sodium</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>4</b>
<b>oxybutynin</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	3
	<b>5</b>
<b>oxycodone</b>	
<i>Aggression</i>	4
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	9

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
oxycodone	
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	6
	<b>24</b>
oxygen	
<i>Suicide attempt</i>	1
	<b>1</b>
oxymetazoline	
<i>Intentional overdose</i>	1
	<b>1</b>
paclitaxel	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
	<b>4</b>
paliperidone	
<i>Aggression</i>	5
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	5
<i>Multiple drug overdose intentional</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	13
<i>Violence-related symptom</i>	1
	<b>30</b>
pancreatin	
<i>Suicide attempt</i>	2
	<b>2</b>
pantoprazole	
<i>Aggression</i>	3
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	18
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	24
	<b>48</b>
papaverine	
<i>Suicide attempt</i>	1
	<b>1</b>
paracetamol	
<i>Aggression</i>	5
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	94
<i>Multiple drug overdose intentional</i>	7
<i>Suicidal ideation</i>	6
<i>Suicide attempt</i>	227
	<b>343</b>
paracetamol; tramadol hydrochloride	
<i>Completed suicide</i>	1
	<b>1</b>
paraffin, liquid	
18.05.2009	64

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
paraffin, liquid	
<i>Suicide attempt</i>	1
	<b>1</b>
paricalcitol	
<i>Completed suicide</i>	1
	<b>1</b>
paroxetine	
<i>Aggression</i>	11
<i>Anger</i>	1
<i>Completed suicide</i>	27
<i>Intentional overdose</i>	37
<i>Intentional self-injury</i>	1
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	6
<i>Suicide attempt</i>	80
	<b>164</b>
passiflora extract	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
pegaspargase	
<i>Aggression</i>	1
	<b>1</b>
peginterferon alfa-2a	
<i>Aggression</i>	6
<i>Completed suicide</i>	4
<i>Intentional self-injury</i>	1
<i>Suicidal ideation</i>	10
<i>Suicide attempt</i>	9
	<b>30</b>
peginterferon alfa-2b	
<i>Aggression</i>	21
<i>Borderline personality disorder</i>	1
<i>Completed suicide</i>	6
<i>Intentional overdose</i>	3
<i>Suicidal ideation</i>	17
<i>Suicide attempt</i>	5
	<b>53</b>
pelargonium reniforme	
<i>Suicide attempt</i>	1
	<b>1</b>
pemoline	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
penbutolol	
<i>Intentional overdose</i>	1
	<b>1</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>penicillin nos</b>	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	3
	<b>5</b>
<b>pentobarbital</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>pentoxifylline</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>4</b>
<b>perazine</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	75
<i>Multiple drug overdose intentional</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	60
	<b>143</b>
<b>pergolide</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>permethrin</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>perphenazine</b>	
<i>Intentional overdose</i>	5
<i>Suicide attempt</i>	3
	<b>8</b>
<b>pethidine</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>phenazone</b>	
<i>Intentional overdose</i>	1
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	1
	<b>3</b>
<b>phencyclidine</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>phenobarbital</b>	
<i>Aggression</i>	2
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	14
<i>Suicide attempt</i>	12
	<b>30</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>phenoxymethylpenicillin</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	7
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	23
	<b>32</b>
<b>phenprocoumon</b>	
<i>Intentional overdose</i>	7
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	15
	<b>25</b>
<b>phenylephrine</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>phenytoin</b>	
<i>Intentional overdose</i>	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	<b>11</b>
<b>pilocarpine hydrochloride; timolol maleate</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>pimozide</b>	
<i>Intentional overdose</i>	5
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	11
	<b>17</b>
<b>pioglitazone</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>pipamperone</b>	
<i>Aggression</i>	6
<i>Completed suicide</i>	4
<i>Intentional overdose</i>	61
<i>Multiple drug overdose intentional</i>	12
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	176
	<b>263</b>
<b>piracetam</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	4
	<b>10</b>
<b>pirenzepine</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	6
	<b>7</b>
18.05.2009	<b>67</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>piretanide</b>	
Aggression	1
Intentional overdose	1
Suicide attempt	2
	<b>4</b>
<b>piribedil</b>	
Suicidal ideation	1
	<b>1</b>
<b>piritramide</b>	
Aggression	1
Intentional overdose	1
Multiple drug overdose intentional	1
Suicide attempt	3
	<b>6</b>
<b>piroxicam</b>	
Aggression	1
Intentional overdose	1
Suicide attempt	2
	<b>4</b>
<b>plantaginis extract</b>	
Intentional overdose	1
Suicide attempt	2
	<b>3</b>
<b>potassium</b>	
Completed suicide	2
Suicide attempt	3
	<b>5</b>
<b>potassium carbonate; potassium citrate</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>
<b>potassium iodide</b>	
Suicidal ideation	1
Suicide attempt	5
	<b>6</b>
<b>pramipexole</b>	
Aggression	1
Completed suicide	2
Intentional overdose	3
Suicidal ideation	2
Suicide attempt	16
	<b>24</b>
<b>pravastatin</b>	
Aggression	1
Completed suicide	1
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	3
	<b>7</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>prazepam</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>prednimustine</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>prednisolone</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	10
	<b>17</b>
<b>prednisone</b>	
<i>Antisocial behaviour</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	3
	<b>7</b>
<b>pregabalin</b>	
<i>Aggression</i>	6
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	13
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	7
<i>Suicide attempt</i>	20
	<b>49</b>
<b>pridinol</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>primidone</b>	
<i>Aggression</i>	3
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>5</b>
<b>procarbazine</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>progesterone</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>proglumetacin</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>promazine</b>	
<i>Suicide attempt</i>	1
	<b>1</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>promethazine</b>	
Aggression	7
Completed suicide	1
Intentional overdose	55
Multiple drug overdose intentional	2
Suicidal ideation	1
Suicide attempt	49
	<b>115</b>
<b>propafenone</b>	
Aggression	1
Intentional overdose	2
Suicide attempt	6
	<b>9</b>
<b>propicillin</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>
<b>propofol</b>	
Aggression	4
Intentional overdose	1
Suicide attempt	1
	<b>6</b>
<b>propranolol</b>	
Completed suicide	1
Intentional overdose	3
Suicidal ideation	1
Suicide attempt	2
	<b>7</b>
<b>prothipendyl</b>	
Aggression	1
Completed suicide	3
Intentional overdose	62
Multiple drug overdose intentional	1
Suicide attempt	37
	<b>104</b>
<b>pseudoephedrine</b>	
Suicide attempt	1
	<b>1</b>
<b>psyllium hydrophilic mucilloid</b>	
Suicide attempt	1
	<b>1</b>
<b>pyridostigmine</b>	
Intentional overdose	2
Suicide attempt	5
	<b>7</b>
<b>pyridoxine; thiamine</b>	
Suicide attempt	2
	<b>2</b>
<b>quetiapine</b>	
	<b>70</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>quetiapine</b>	
Aggression	4
Completed suicide	10
Intentional overdose	104
Intentional self-injury	2
Multiple drug overdose intentional	2
Self injurious behaviour	1
Suicidal ideation	9
Suicide attempt	104
	<b>236</b>
<b>quinapril</b>	
Suicide attempt	1
	<b>1</b>
<b>quinidine bisulfate; verapamil hydrochloride</b>	
Suicide attempt	2
	<b>2</b>
<b>rabeprazole</b>	
Intentional overdose	1
Suicide attempt	2
	<b>3</b>
<b>ramipril</b>	
Aggression	1
Depression suicidal	1
Intentional overdose	25
Multiple drug overdose intentional	2
Suicidal ideation	2
Suicide attempt	26
	<b>57</b>
<b>ranitidine</b>	
Aggression	2
Intentional overdose	10
Suicidal ideation	2
Suicide attempt	19
	<b>33</b>
<b>ranpirnase</b>	
Aggression	1
	<b>1</b>
<b>rasagiline</b>	
Suicidal ideation	1
Suicide attempt	1
	<b>2</b>
<b>reboxetine</b>	
Aggression	8
Borderline personality disorder	1
Completed suicide	6
Intentional overdose	17
Multiple drug overdose intentional	1
Suicidal ideation	6
Suicide attempt	16
	<b>55</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>remifentanyl</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>repaglinide</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	2
	<b>5</b>
<b>ribavirin</b>	
<i>Aggression</i>	29
<i>Borderline personality disorder</i>	1
<i>Completed suicide</i>	10
<i>Intentional overdose</i>	4
<i>Intentional self-injury</i>	1
<i>Self injurious behaviour</i>	2
<i>Suicidal ideation</i>	33
<i>Suicide attempt</i>	22
	<b>102</b>
<b>rifampicin</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>riluzole</b>	
<i>Suicidal ideation</i>	1
	<b>1</b>
<b>rimonabant</b>	
<i>Aggression</i>	15
<i>Anger</i>	1
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	40
<i>Suicide attempt</i>	6
<i>Violence-related symptom</i>	1
	<b>64</b>
<b>risperidone</b>	
<i>Aggression</i>	33
<i>Completed suicide</i>	25
<i>Homicide</i>	1
<i>Intentional overdose</i>	137
<i>Multiple drug overdose intentional</i>	14
<i>Physical assault</i>	2
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	52
<i>Suicide attempt</i>	357
<i>Violence-related symptom</i>	1
	<b>623</b>
<b>ritonavir</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>rituximab</b>	
<i>Completed suicide</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
18.05.2009	<b>72</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
rituximab	2
rivastigmine	
Aggression	8
Completed suicide	1
	9
rizatriptan	
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	3
rofecoxib	
Aggression	2
Completed suicide	2
Intentional overdose	8
Suicidal ideation	2
Suicide attempt	10
	24
ropinirole	
Intentional overdose	1
Suicide attempt	2
	3
rosiglitazone	
Aggression	1
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	2
	5
roxatidine	
Aggression	1
	1
roxithromycin	
Completed suicide	1
Intentional overdose	1
Suicidal ideation	3
Suicide attempt	9
	14
russian ginseng	
Suicide attempt	1
	1
saccharomyces boulardii	
Completed suicide	1
Intentional overdose	1
Suicide attempt	4
	6
salbutamol	
Aggression	2
Intentional overdose	4
Suicidal ideation	1
Suicide attempt	4
18.05.2009	73

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
salbutamol	11
salmeterol	
<i>Aggression</i>	1
	1
saquinavir	
<i>Suicide attempt</i>	2
	2
serenoa repens	
<i>Suicide attempt</i>	1
	1
sertindole	
<i>Aggression</i>	2
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	15
sertraline	
<i>Aggression</i>	7
<i>Anger</i>	1
<i>Completed suicide</i>	13
<i>Intentional overdose</i>	44
<i>Self injurious behaviour</i>	2
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	14
<i>Suicide attempt</i>	70
	152
sevoflurane	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	2
sibutramine	
<i>Intentional overdose</i>	2
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	7
	10
sildenafil	
<i>Completed suicide</i>	2
	2
silybum marianum	
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	1
	2
silymarin	
<i>Completed suicide</i>	1
	1
simvastatin	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>simvastatin</b>	
Aggression	9
Completed suicide	2
Intentional overdose	16
Suicidal behaviour	1
Suicidal ideation	4
Suicide attempt	13
	<b>45</b>
<b>sitagliptin</b>	
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	<b>3</b>
<b>sodium chloride</b>	
Intentional overdose	1
Suicide attempt	2
	<b>3</b>
<b>sodium fluoride</b>	
Suicide attempt	1
	<b>1</b>
<b>sodium picosulfate</b>	
Aggression	1
Suicide attempt	1
	<b>2</b>
<b>sodium selenite</b>	
Suicide attempt	2
	<b>2</b>
<b>solidaginis extract</b>	
Intentional overdose	1
Suicide attempt	1
	<b>2</b>
<b>solifenacin</b>	
Suicidal ideation	1
Suicide attempt	1
	<b>2</b>
<b>somatropin</b>	
Aggression	5
Depression suicidal	1
	<b>6</b>
<b>sorafenib</b>	
Completed suicide	1
Suicide attempt	1
	<b>2</b>
<b>sotalol</b>	
Completed suicide	1
Intentional overdose	3
Suicidal ideation	3
Suicide attempt	7
	<b>14</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>spironolactone</b>	
<i>Depression suicidal</i>	1
<i>Intentional overdose</i>	3
<i>Multiple drug overdose intentional</i>	1
<i>Suicide attempt</i>	4
	<b>9</b>
<b>stavudine</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	4
	<b>6</b>
<b>sulfamerazine; trimethoprim</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>sulfamethoxazole; trimethoprim</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	4
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	18
	<b>24</b>
<b>sulfasalazine</b>	
<i>Aggression</i>	3
<i>Homicide</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	2
	<b>7</b>
<b>sulpiride</b>	
<i>Intentional overdose</i>	8
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	8
	<b>20</b>
<b>sultamicillin</b>	
<i>Aggression</i>	2
	<b>2</b>
<b>sultiame</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>sumatriptan</b>	
<i>Aggression</i>	4
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	2
	<b>9</b>
<b>tacrine</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>tacrolimus</b>	
<i>Suicide attempt</i>	1
	<b>1</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>talinolol</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>tamoxifen</b>	
<i>Completed suicide</i>	1
	<b>1</b>
<b>tamsulosin</b>	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	1
	<b>3</b>
<b>telithromycin</b>	
<i>Aggression</i>	3
	<b>3</b>
<b>telmisartan</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	6
	<b>9</b>
<b>temafloxacin</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>temazepam</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	16
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	2
<i>Suicide attempt</i>	33
	<b>56</b>
<b>tenofovir</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	2
	<b>6</b>
<b>terazosin</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>terbinafine</b>	
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	2
	<b>3</b>
<b>terfenadine</b>	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>teriparatide</b>	

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>teriparatide</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>testosterone</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>4</b>
<b>tetrabenazine</b>	
<i>Intentional overdose</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	2
	<b>4</b>
<b>tetracycline</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>tetrahydrocannabinol</b>	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	<b>3</b>
<b>tetrazepam</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	18
<i>Multiple drug overdose intentional</i>	2
<i>Suicide attempt</i>	29
	<b>51</b>
<b>tetryzoline</b>	
<i>Suicide attempt</i>	2
	<b>2</b>
<b>theophylline</b>	
<i>Aggression</i>	2
<i>Intentional overdose</i>	3
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	14
	<b>20</b>
<b>thioctic acid</b>	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	2
	<b>5</b>
<b>thiopental</b>	
<i>Suicide attempt</i>	1
	<b>1</b>
<b>thioridazine</b>	
<i>Completed suicide</i>	3
<i>Intentional overdose</i>	4
<i>Suicide attempt</i>	8
	<b>15</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>thyroid</b>	
Completed suicide	1
	<b>1</b>
<b>tiagabine</b>	
Aggression	1
Completed suicide	1
Suicidal ideation	1
Suicide attempt	2
	<b>5</b>
<b>tiapride</b>	
Aggression	2
Intentional overdose	2
Suicidal ideation	1
Suicide attempt	5
	<b>10</b>
<b>ticlopidine</b>	
Aggression	1
	<b>1</b>
<b>tilidine</b>	
Aggression	1
Completed suicide	1
Intentional overdose	9
Suicide attempt	4
	<b>15</b>
<b>tinidazole</b>	
Aggression	1
Intentional overdose	1
Suicide attempt	1
	<b>3</b>
<b>tioguanine</b>	
Suicide attempt	1
	<b>1</b>
<b>tiotropium</b>	
Depression suicidal	1
Suicide attempt	2
	<b>3</b>
<b>tizanidine</b>	
Intentional overdose	1
Suicide attempt	2
	<b>3</b>
<b>tocopherol</b>	
Completed suicide	1
Suicide attempt	1
	<b>2</b>
<b>tolcapone</b>	
Aggression	2
Suicidal ideation	2
	<b>4</b>

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>tolperisone</b>	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	9
	<b>12</b>
<b>tolterodine</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>topiramate</b>	
<i>Aggression</i>	16
<i>Anger</i>	1
<i>Intentional overdose</i>	15
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	24
<i>Suicide attempt</i>	31
	<b>90</b>
<b>topotecan</b>	
<i>Aggression</i>	1
	<b>1</b>
<b>torasemide</b>	
<i>Intentional overdose</i>	6
<i>Multiple drug overdose intentional</i>	1
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	5
	<b>13</b>
<b>tramadol</b>	
<i>Aggression</i>	6
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	39
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	3
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	49
	<b>101</b>
<b>tramazoline</b>	
<i>Intentional overdose</i>	1
	<b>1</b>
<b>trandolapril</b>	
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
<b>trandolapril; verapamil hydrochloride</b>	
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	4
	<b>6</b>
<b>tranylcypromine</b>	
<i>Aggression</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	5
	<b>7</b>
18.05.2009	<b>80</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
tranylcypromine	7
tranylcypromine sulfate; trifluoperazine hydrochloride	
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	6
	9
trapidil	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	2
	3
trazodone	
<i>Anger</i>	1
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	5
<i>Suicide attempt</i>	12
	20
treosulfan	
<i>Aggression</i>	1
	1
tretinoin	
<i>Suicide attempt</i>	2
	2
triamcinolone	
<i>Aggression</i>	1
<i>Suicide attempt</i>	1
	2
triamterene	
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	3
triazolam	
<i>Aggression</i>	3
<i>Hostility</i>	1
<i>Intentional overdose</i>	2
<i>Suicide attempt</i>	4
	10
trifluoperazine	
<i>Intentional overdose</i>	2
	2
triflupromazine	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	2
trihexyphenidyl	
<i>Suicide attempt</i>	2
	2
trimetazidine	

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
trimetazidine	
<i>Intentional overdose</i>	1
	<b>1</b>
trimipramine	
<i>Aggression</i>	6
<i>Completed suicide</i>	11
<i>Intentional overdose</i>	105
<i>Intentional self-injury</i>	2
<i>Multiple drug overdose intentional</i>	7
<i>Suicidal ideation</i>	4
<i>Suicide attempt</i>	67
	<b>202</b>
tropisetron	
<i>Completed suicide</i>	1
	<b>1</b>
tropium	
<i>Intentional overdose</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
trovafloxacin	
<i>Aggression</i>	2
<i>Suicidal ideation</i>	1
	<b>3</b>
troxerutin	
<i>Suicide attempt</i>	1
	<b>1</b>
tryptophan, l-	
<i>Suicidal behaviour</i>	1
<i>Suicide attempt</i>	1
	<b>2</b>
urapidil	
<i>Completed suicide</i>	1
	<b>1</b>
urtica extract	
<i>Aggression</i>	1
<i>Intentional overdose</i>	2
	<b>3</b>
valaciclovir	
<i>Aggression</i>	1
	<b>1</b>
valdecoxib	
<i>Intentional overdose</i>	1
	<b>1</b>
valeriana officinalis	
<i>Intentional overdose</i>	1
	<b>1</b>
valeriana officinalis root	

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>valeriana officinalis root</b>	
<i>Intentional overdose</i>	17
<i>Multiple drug overdose intentional</i>	3
<i>Suicide attempt</i>	22
	<b>42</b>
<b>valproate sodium; valproic acid</b>	
<i>Aggression</i>	3
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	12
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	10
	<b>27</b>
<b>valproic acid</b>	
<i>Aggression</i>	10
<i>Completed suicide</i>	2
<i>Intentional overdose</i>	45
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	2
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	2
<i>Suicide attempt</i>	54
	<b>117</b>
<b>valsartan</b>	
<i>Aggression</i>	2
<i>Completed suicide</i>	1
<i>Suicide attempt</i>	3
	<b>6</b>
<b>vardenafil</b>	
<i>Completed suicide</i>	3
	<b>3</b>
<b>varenicline</b>	
<i>Aggression</i>	5
<i>Conduct disorder</i>	1
<i>Homicidal ideation</i>	1
<i>Hostility</i>	1
<i>Suicidal behaviour</i>	1
<i>Suicidal ideation</i>	18
<i>Suicide attempt</i>	6
	<b>33</b>
<b>venlafaxine</b>	
<i>Aggression</i>	11
<i>Completed suicide</i>	19
<i>Hostility</i>	1
<i>Intentional overdose</i>	536
<i>Intentional self-injury</i>	4
<i>Multiple drug overdose intentional</i>	6
<i>Self injurious behaviour</i>	1
<i>Suicidal ideation</i>	27
<i>Suicide attempt</i>	217
	<b>822</b>
<b>verapamil</b>	
<i>Aggression</i>	1
	<b>1</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>verapamil</b>	
Completed suicide	2
Intentional overdose	9
Suicide attempt	40
	<b>52</b>
<b>verteporfin</b>	
Suicidal ideation	1
	<b>1</b>
<b>vigabatrin</b>	
Aggression	6
Completed suicide	1
Suicidal ideation	1
Suicide attempt	4
	<b>12</b>
<b>vinblastine</b>	
Aggression	1
	<b>1</b>
<b>vincristine</b>	
Aggression	1
Completed suicide	1
	<b>2</b>
<b>vinorelbine</b>	
Completed suicide	1
	<b>1</b>
<b>vitis vinifera extract</b>	
Suicide attempt	1
	<b>1</b>
<b>voriconazole</b>	
Aggression	2
	<b>2</b>
<b>warfarin</b>	
Suicidal ideation	1
Suicide attempt	1
	<b>2</b>
<b>xylometazoline</b>	
Suicide attempt	2
	<b>2</b>
<b>yeast dried</b>	
Intentional overdose	1
Suicide attempt	3
	<b>4</b>
<b>yohimbine</b>	
Suicide attempt	2
	<b>2</b>
<b>zalcitabine</b>	
Suicide attempt	1

# Verteilung der verdächtigsten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>zaleplon</b>	
Aggression	2
Completed suicide	1
Intentional overdose	29
Suicide attempt	7
	<b>39</b>
<b>ziconotide</b>	
Completed suicide	1
	<b>1</b>
<b>zidovudine</b>	
Aggression	1
Intentional overdose	1
	<b>2</b>
<b>zinc</b>	
Intentional overdose	1
Multiple drug overdose intentional	1
Suicide attempt	2
	<b>4</b>
<b>ziprasidone</b>	
Aggression	2
Completed suicide	11
Intentional overdose	31
Suicidal ideation	10
Suicide attempt	27
	<b>81</b>
<b>zoledronic acid</b>	
Completed suicide	1
Suicidal ideation	1
	<b>2</b>
<b>zolmitriptan</b>	
Aggression	1
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	<b>4</b>
<b>zolpidem</b>	
Aggression	8
Completed suicide	7
Hostility	1
Intentional overdose	98
Multiple drug overdose intentional	1
Self injurious behaviour	1
Suicidal ideation	5
Suicide attempt	92
	<b>213</b>
<b>zonisamide</b>	
Aggression	3
Intentional overdose	1
Suicidal ideation	1
Suicide attempt	1
	<b>6</b>

# Verteilung der verdächtigten UAW/Substanzkombinationen

Kriterien: SMQ Suicide and self injury, SMQ Hostility and aggression, narrow, Deutschland seit 1989

## Substanz/-kombination

Nebenwirkung	Anzahl
<b>zopiclone</b>	
<i>Aggression</i>	8
<i>Completed suicide</i>	8
<i>Intentional overdose</i>	158
<i>Intentional self-injury</i>	1
<i>Multiple drug overdose intentional</i>	4
<i>Suicidal ideation</i>	3
<i>Suicide attempt</i>	136
	<b>318</b>
<b>zotepine</b>	
<i>Intentional overdose</i>	5
<i>Suicidal ideation</i>	1
<i>Suicide attempt</i>	9
	<b>15</b>
<b>zuclopenthixol</b>	
<i>Aggression</i>	1
<i>Completed suicide</i>	1
<i>Intentional overdose</i>	3
<i>Suicide attempt</i>	4
	<b>9</b>

Anzahl UAW/Substanzkombinationen: 19015

Anzahl UAW-Berichte: 7676